

From: Latham (Polinko), Janine
To: [Waite, Andrew](#); [Schaefer, Joe](#)
Cc: [Cari-Michel Lacaille](#); [Brown, Jamesr](#); [Ngo, Kim](#); [R6HarveyDOCL](#); [Restivo, Angela](#); [Buchanan, Kayla](#); [Brescia, Nicolas](#); [R6HarveyIC](#); [Smalley, Bryant](#); [Delgado, Eric](#)
Subject: RE: M6H1 – Harvey Response data needed for Mapping of BWN and INOP Systems
Date: Monday, September 4, 2017 3:58:53 PM
Attachments: [DrinkingWater.gdb.piz](#)

Attached is a geodatabase with the Drinking water systems. A Column has been added to signify – BWN, OK, and INOP at the end called TCEQ Status.

From: Waite, Andrew [mailto:Waite.Andrew@epa.gov]
Sent: Monday, September 04, 2017 1:32 PM
To: Latham (Polinko), Janine <Janine.Latham@WestonSolutions.com>; Schaefer, Joe <Schaefer.Joe@epa.gov>
Cc: Cari-Michel Lacaille <cari-michel.lacaille@tceq.texas.gov>; Brown, Jamesr <brown.jamesr@epa.gov>; Ngo, Kim <Ngo.Kim@epa.gov>; R6HarveyDOCL <R6HarveyDOCL@epa.gov>; Restivo, Angela <Restivo.Angela@epa.gov>; Buchanan, Kayla <buchanan.kayla@epa.gov>; Brescia, Nicolas <brescia.nicolas@epa.gov>; R6HarveyIC <R6HarveyIC@epa.gov>; Smalley, Bryant <smalley.bryant@epa.gov>; Eric Delgado <delgado.eric@epa.gov>
Subject: M6H1 – Harvey Response data needed for Mapping of BWN and INOP Systems

Joe,

For Mapping of systems under a boil water notice or not operating

A simple XLS file with one column containing IDs for Drinking water systems having either a BWN or as INOP and a second column containing either BWN or INOP as appropriate

BWN would be from the last assessment record having GENLP, LP/LT, RESULTS and any system that has a BWN Start date on any assessment (field 10) with a null in all assessments. Only one record per system.

Systems ID	Status
1234567	BWN
7654321	INOP

Regards

Andrew J. Waite
R6 WQ-SD
214.665.7332

After a momentary silence spake

Some Vessel of a more ungainly Make;
"They sneer at me for leaning all awry:
"What! did the Hand then of the Potter shake?"

 [Water: What is it Worth to You?](#)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

TARGET SHEET

SITE NAME: HARVEY RESPONSE

CERCLIS I.D.: TXN000605541

TITLE OF DOC.: DRINKINGWATER.GDB.PIZ

DATE OF DOC.: 09/04/2017

NO. OF PGS. THIS TARGET SHEET REPLACES: UNKNOWN

SDMS #: 7026782 **RELATED #:**

CONFIDENTIAL ? ☐ **MISSING PAGES ?** ☐

ALTERN. MEDIA ? ☒ **CROSS REFERENCE ?** ☐

LAB DOCUMENT ? ☐ **LAB NAME:**

ASC./BOX #: ☐

CASE #: **SDG #:**

COMMENTS : THESE FILES WERE UNABLE TO BE
CONVERTED TO PDF,

CANNOT OPEN GEODATABASE FILES FROM ZIP DOCUMENT

